专注铸就专业·专业赢得未来

DEDICATION FOSTERS PROFESSIONALISM
PROFESSIONALISM WINS THE FUTURE

上海用科制冷设备有限公司

用科（安徽）智能科技有限公司

全国服务热线：4001828829

营销中心：上海市松江区振业路161号

生产中心：安徽省六安市裕安区鲜花岭路1号

网址：www.ykicing.con　　www.ykicing.cn

邮箱：info@ykicing.com

公众号二维码

官网二维码

上海用科制冷设备有限公司

SHANGHAI YONGKE REFRIGERATION EQUIPMENT CO.,LTD.

PRODUCT MANUAL
产品手册

商用制冰机专业制造商

PROFESSIONAL MANUFACTURER
OF COMMERCIALICEMAKER

- 深耕制冰设备领域
- 积极探索前沿技术



ABOUT US
关于我们

上海用科制冷设备有限公司自2012年于上海松江成立以来，一直致力于制冰设备的研发、生产与销售，成为该领域的现代化先锋企业。公司旗下拥有多元化的品牌阵容，针对不同市场和客户群体提供定制化解决方案。产品线丰富多样，包括方块制冰机、颗粒雪花制冰机、绵绵雪花制冰机、月型冰制冰机、喷淋式制冰机、鳞片冰制冰机及冰水机等，广泛应用于餐饮、娱乐、食品加工、冷链运输、建筑化工以及医疗科研等行业。

Shanghai Yongke Refrigeration Equipment Co.,Ltd. is located in Shanghai, China, the production plant is set up inAnhui, China.We have 13 years of commercial ice machine production experience. As a well-known manufacturerof ice machines, we have three brands: RUNICING, BASEB and KEIMP. RUNICING, KEIMP for the domestic-market, BASEB for the international market.We have 6 different ice ice shapes: cube ice, moon ice, granular ice, snow ice, flake ice, cylindrical ice. Productsare widely used in restaurants, bars, drink shops, coffee shops, bakeries, supermarkets, laboratories and otherplaces.

2012 年
成立于2012
Established in 2012

多元化
多元化品牌阵容
Diversified brand lineup

心专注·行致远
发展理念
Development concept

PROFESSIONAL MANUFACTURER OF COMMERCIALICEMAKER
商用制冰机专业制造商

Product R&D
产品研发

Manufacturing
生产制造

Marketing
市场营销

秉持“心专注、行致远”的发展理念，用科团队不断深耕制冰设备领域，积极探索前沿技术，致力于产品的持续创新，力求为客户提供更加便捷、稳定且高效的制冰解决方案。为了确保卓越的产品质量，公司不仅引进了高精度的加工与检测设备，而且在核心部件的选择上坚持使用国际知名品牌，并通过专业工程师团队的不懈努力进行设计创新和系统优化。

For many years, we have been dedicated to theresearch and production of ice making equipment.With this focused, dedicated, and specializeddevelopment philosophy, we are able to provide thehighest quality products and become the most reliableice making equipment supplier for our customers.Inorder to ensure the consistency and stability of ourproducts, we have introduced high-precision lasercutting machines and CNC bending machines. In orderto ensure the ease of use of the product, we have areasonable design of the equipment operationprocedure and provide multiple protection.

如今，用科制冰机已经遍布全国各个角落，深受用户喜爱：同时，公司在国际市场上的份额也在逐步扩大。
我们热诚欢迎新老客户来电咨询或莅临洽谈OEM、ODM合作事宜，共同探讨新产品与新技术的发展前景。

We also welcome OEM and ODM, whether it is to choosefrom existing products, or customize according to youractual situation, we will provide you with perfect icemaking product solutions.We look forward to your call and hope that we can alsobecome a quality supplier and partner in the near future.



7大
核心优势

用科制冰机
提供高效制冰解决方案

自主研发，30+专利
Independently developed,30 patents

14年的研发生产经验
14 years of R&D and production experience

取得国际认证：CE、ISO认证
Obtain international certification: CE, ISO certification

核心部件采用国际知名品牌
Core components adopt internationally renowned brands

产品覆盖面广
The product has a wide coverage

完善的售后服务
Perfect after-sales service

专注、专精的发展理念一直专注制冰设备的研发生产
Focus on the development concept of specializationand precision;
always focus on the research anddevelopment of ice-making equipment.






APPLICATION SCENARIO
应用场景


海鲜	调酒	咖啡	日料
			
BD系列、ICE系列	BD系列、YZ系列	BD系列、YZ系列	IMS系列、SD系列


自助餐	茶饮	火锅	其他
			
BD系列、ICE系列 IMS系列	BD系列、KM系列 YZ系列	ICE系列、IMS系列	BD系列

历届展会回顾
REVIEW OF PAST EXHIBITIONS










ENTERPRISECERTIFICATE
企业证书



DEVELOPMENT HISTORY
发展历程

始创于2012年
FOUNDED IN 2012

14 年
研发生产经验
R&D and production experience

30 +
专利
Patent

2012

推出BD系列方块冰制冰机
应用于餐厅和饮品店

In 2012,the BD series of cube icemachineswas launched foruse in restaurants.

2015

推出IMS系列颗粒冰制冰机
应用于实验室和日料餐厅

In 2015,the IMS series of irregularparticleicemachines were launched for useinlaboratories and restaurants.

2016

推出SD系列绵绵冰制冰机
应用于甜品店

In 2016,SD series of snow machines waslaunchedfor use in dessert shops.and beverage shops.

2017

推出KM系列月型冰制冰机
应用于中高端饮品店

In 2017,the KM series of moon ice machineswas launched for use in mid tohigh-end beverage shops.

2018

推出ICE系列鳞片冰制冰机
应用于商超水产及食品加工

In 2018,the ICE series offlake icemachines waslaunched for use insupermarket seafoodand foodprocessing

2020

推出YZ系列圆柱冰(八角冰)
制冰机应用于中高端咖啡厅

In 2020, the YZ series of cylindricaloctagonal) ice machineswaslaunched and applied to mid tohigh-end coffee shops.

2023

推出IMSK系列咀嚼冰制冰机，应用于饮品制作

In 2023, the IMSK series chewing ice maker was launched for use in beverage preparation.

2025

推出正方体实心冰，应用于咖啡店、酒吧

In 2025, a cube solid ice maker will be launched, which will be applied in coffee shops and bars.

CUSTOMER CASE
客户案例(部分)



目录

方块冰一体机[BD系列] 09
Ice Cube Machine [BD Series]

方块冰分体机[BD系列] 11
Cubed ice split system [BD Series]

颗粒冰[IMS系列] 13
Pellet ice [IMS Series]

咀嚼冰制冰机[IMSK系列] 17
Chewable ice maker [IMSK Series]

绵绵冰[SD系列] 20
Mianmian Ice [SD Series]

奶冰机[SF系列] 22
Milk Ice Machine [SF Series]

月型冰[KM系列] 23
Moon-shaped ice [KM Series]

鳞片冰[ICE系列] 26
Scale ice[ICE Series]

喷淋式[YZ系列] 29
Spray type [YZ Series]

吧台式制冰机[BL系列] 31
Bar-style ice maker[BL Series]

冰水机[KB系列] 32
Ice water machine [KB Series]

刨冰机[BT系列] 33
Ice Shaver [BT Series]

核心部件 34
Core component

方块冰一体机[BD系列]

BLOCK ICE ALL-IN-ONE MACHINE [BD SERIES]



↘ 产品特点 Product Features

- 采用上推门设计，节省空间，取冰快捷。
- 加大的镀镍紫铜冰盘，比同类产品效率提高10%；制冰、脱冰迅速。
- 独创“智能芯”，自动检测，提高机器稳定性和维护的便利性。
- 风冷型机器采用前置式散热器，便于清洗。降噪风机，声音小。
- 内胆、水槽、分水管均达到食品级国家标准，安全卫生。
- 储冰桶采用PE整体注塑工艺，聚氨酯整体发泡，保温性能高。

- Pushing gate design, save space, convenient to take the ice.
- Bigger nickel plated copper ice tray, yield than similar products more than10% above;ice making and ice dropping quickly.
- The original "intelligent core" makes the machine with stable performance,convenient mainttenance.
- The air-cooled machine adopts a front mounted radiator, convenientcleaning, noise reduction technology advanced, low noise.
- Inner tank, water tank, water pump are up to food gradde standards,safety and healthy.
- Ice storage tank with PE overall rotational molding technology, polyurethane foam, high thermal insulation performance.

↘ 冰块特点 Ice features

应用范围广 Wide range of applications	经济实惠 Economical and practical	降温效果好 Good cooling effectl

SUITABLE FOR




↘ 适用场所

实验室 Laboratory	酒店宾馆 Hotel	餐厅 Restaurant	饮品店 Drinks shop
咖啡店 Coffee shop	KTV KTV	酒吧 Bar	便利店 Convenience store




型号	BD-80A	BD-110A
最大日产量	45(KG/24H)	50(KG/24H)
储冰量	15(KG)	15(KG)
尺寸W*D*H	500*440*800(MM)	500*440*800(MM)
电压频率	220V/50Hz	220V/50Hz
功率	340(W)	460(W)
制冷剂	R134a/R290	R134a/R290
冷凝方式	风冷	风冷




22mm*22mm*22mm

冰块尺寸图






型号	BD-160A/W	BD-210A/W	BD-260A/W
最大日产量	80(KG/24H)	95(KG/24H)	120(KG/24H)
储冰量	40(KG)	40(KG)	40(KG)
尺寸W*D*H	660*680*930(MM)	660*680*930(MM)	660*680*930(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz
功率	610/540(W)	720/650(W)	770/700(W)
制冷剂	R22/R290	R22/R290	R22/R290
冷凝方式	风冷/水冷	风冷/水冷	风冷/水冷



22mm*22mm*22mm

冰块尺寸图



方块冰分体机[BD系列]

BLOCK ICE SPLIT MACHINE [BD SERIES]






产品特点 Product Features

- 采用优质不锈钢外壳，防腐耐用。
- 加大的镀镍紫铜冰盘，比同类产品效率提高10%；制冰、脱冰迅速。
- 独创"智能芯"，自动检测，提高机器稳定性和维护的便利性。
- 独立的储冰桶，储冰量大。
- 内胆、水槽、分水管均达到食品级国家标准，安全卫生。
- 储冰桶采用PE整体注塑工艺，聚氨酯整体发泡，保温性能高。

- High quality stainless steel shell, corrosion resistant and durable.
- Bigger nickel plated copper ice tray, yield than similar products more than 10% aboveice making and ice dropping quickly.
- The original "intelligent core" makes the machine with stable performance, convenient mainttenance.
- Independent ice storage bucket with large ice storage.
- Inner tank, water tank, water pump are up to food gradde standards, safety and healthy.
- Ice storage tank with PE overall rotational molding technology, polyurethane foam, high thermal insulation performance.




型号	BD-320A/W	BD-400A/W
最大日产量	140(KG/24H)	200(KG/24H)
储冰量	120(KG)	120(KG)
尺寸W*D*H	560*840*1610(MM) 560*840*1605(MM)	560*830*1610(MM)
电压频率	220V/50Hz	220V/50Hz
功率	840/750(W)	995/900(W)
制冷剂	R22/R290	R22/R290
冷凝方式	风冷/水冷	风冷/水冷




22mm*22mm*22mm

冰块尺寸图




型号	BD-500A/W	BD-700A/W	BD-850A/W	BD-1000A/W	BD-1200A/W
最大日产量	250(KG/24H)	330(KG/24H)	400(KG/24H)	480(KG/24H)	580(KG/24H)
储冰量	180(KG)	180(KG)	180(KG)	180(KG)	180(KG)
尺寸W*D*H	760*840*1685(MM) 760*840*1680(MM)	760*840*1685(MM) 760*840*1680(MM)	760*840*1685(MM) 760*840*1680(MM)	760*840*1815(MM) 760*840*1790(MM)	760*840*1815(MM) 760*840*1790(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
功率	1090/950(W)	1290/1150(W)	1740/1600(W)	2390/2200(W)	2540/2350(W)
制冷剂	R22/R404a	R22/R404a	R22	R22	R22
冷凝方式	风冷/水冷	风冷/水冷	风冷/水冷	风冷/水冷	风冷/水冷




22mm*22mm*22mm

冰块尺寸图






型号	BD-1450A/W	BD-2000A/W
最大日产量	690(KG/24H)	980(KG/24H)
储冰量	460(KG)	460(KG)
尺寸W*D*H	1220*950*1950(MM) 1220*950*1815(MM)	1220*950*1950(MM) 1220*950*1940(MM)
电压频率	220V/50Hz	380V/50Hz
功率	2870/2600(W)	4080/3800(W)
制冷剂	R22	R22
冷凝方式	风冷/水冷	风冷/水冷



22mm*22mm*22mm

冰块尺寸图



颗粒冰[IMS系列]

GRANULAR ICE [IMS SERIES]

↘ 产品特点 Product Features


- 采用优质不锈钢外壳，防腐耐用。
- 箱体隔热层采用无氟聚氨酯发泡，保温性能好;内胆采用无氟抑菌型，节能环保。
- 采用进口无氟环保型压缩机，环保、稳定。
- 采用人性化控制程序，设备稳定、操作方便。
- 采用二级减速器和齿轮异步电机，噪音低、运行稳定。
- 螺旋滚刀挤压式蒸发器，运行稳定、制冰效果好。
- 设备有状态提醒，操作方便。

- High quality stainless steel shell, corrosion resistant and durable.
- The box insulation layer adopts fluorine free polyurethane foam, good heat preservation performance, inner bladder adopts
- fluorine free bacteriostatic type, energy saving and environmental protection.
- Adopt the import non-fluorine environmental protection compressor, environmental protection, stability.
- Adopt humanized control procedure, the equipment is stable, the operation is convenient.
- The secondary speed reducer and gear asynchronous motor are adopted, low noise and stable operation.
- The spiral hob extruding evaporator has stable operation and good ice making effect.
- The machine has a state reminder, easy to operate.

↘ 冰块特点 Ice features

颗粒冰为不规则颗粒状，冰型细小，可以渗入细小缝隙，从而使待冷却物品接触面积大，降温迅速。

Grain ice is irregular grain, ice type is small, can infiltrate into smallaperture, make the contact area of the waiting cool object big, cool quickly.



用作食用时，因颗粒小，从而口感松软，食用方便。

When used for eating, the grain ice is small, which makes it soft and easy to eat.

适用场所 Suitable for


- 医院 Hospitals
- 实验室 Laboratories
- 餐厅制作刺身和寿司 Restaurants make sashimiand sushi
- 自助餐台展示 Buffet table display
- 饮品制作 Drink making
- 小型海鲜水产 Small seafoodand fish use ice etc



型号	IMS-50A	IMS-80A
最大日产量	50(KG/24H)	80(KG/24H)
储冰量	20(KG)	30(KG)
尺寸W*D*H	500*590*800(MM)	500*590*800(MM)
电压频率	220V/50Hz	220V/50Hz
功率	360(W)	390(W)
制冷剂	R134a/R290	R22/R290
冷凝方式	风冷	风冷

机器三视图

Machine Three-View Drawing






型号	IMS-100A	BD-150A
最大日产量	100(KG/24H)	150(KG/24H)
储冰量	40(KG)	50(KG)
尺寸W*D*H	660*675*1145(MM)	660*675*1145(MM)
电压频率	220V/50Hz	220V/50Hz
功率	700(W)	750(W)
制冷剂	R22/R290	R22/R290
冷凝方式	风冷	风冷

机器三视图

Machine Three-View Drawing





IMS(200-400)


型号参数

Model parameters

型号	IMS-200A/W	IMS-300A/W	IMS-400A/W
最大日产量	200(KG/24H)	300(KG/24H)	400(KG/24H)
储冰量	120(KG)	120(KG)	120(KG)
尺寸W*D*H	560*840*1645(MM)	560*840*1645(MM)	560*840*1645(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz
功率	1020/920(W)	1200/1100(W)	1650/1550(W)
制冷剂	R22/R404	R22/R404	R22/R404
冷凝方式	风冷/水冷	风冷/水冷	风冷/水冷

机器三视图

Machine Three-View Drawing






型号	IMS-500A/W	IMS-700A/W
最大日产量	500(KG/24H)	700(KG/24H)
储冰量	220(KG)	220(KG)
尺寸W*D*H	760*840*1830(MM)	760*840*1900(MM)
电压频率	220V/50Hz	220V/50Hz
功率	2290/2100(W)	2590/2400(W)
制冷剂	R22	R22
冷凝方式	风冷/水冷	风冷/水冷

机器三视图

Machine Three-View Drawing






型号	IMS-1000A/W	IMS-1500A/W
最大日产量	1000(KG/24H)	1500(KG/24H)
储冰量	450(KG)	450(KG)
尺寸W*D*H	1220*950*1940(MM)	1220*950*2010(MM)
电压频率	380V/50Hz	380V/50Hz
功率	3950/3650(W)	4530/4230(W)
制冷剂	R22	R22
冷凝方式	风冷/水冷	风冷/水冷

机器三视图

Machine Three-View Drawing



咀嚼冰制冰机[IMSK系列]

CHEWABLE ICE MAKER [IMSK SERIES]

↘ 冰块特点 Ice features

咀嚼冰是为饮品制作而设计，在保证饮品降温的同时兼顾冰块可吃的特点。冰块在咀嚼的时候清脆而不伤牙。

Chewable ice is designed for beverage preparation, ensuring the cooling effect of the beverage while also offering the edible feature of ice cubes. When chewed, the ice cubes are crisp and won't damage your teeth.

↘ 适用场所 Suitable for

饮品制作
Drink making

↘ 产品特点 Product Features

- 采用优质不锈钢外壳，防腐耐用。
- 箱体隔热层采用无氟聚氨酯发泡，保温性能好;内胆采用无氟抑菌型，节能环保。
- 采用进口无氟环保型压缩机，环保、稳定。
- 采用人性化控制程序，设备稳定、操作方便。
- 采用二级减速器和齿轮异步电机，噪音低、运行稳定。
- 螺旋滚刀挤压式蒸发器，运行稳定、制冰效果好。
- 设备有状态提醒，操作方便。


- High quality stainless steel shell, corrosion resistant and durable.
- The box insulation layer adopts fluorine free polyurethane foam, good heat preservation performance, inner bladder adopts
- fluorine free bacteriostatic type, energy saving and environmental protection.
- Adopt the import non-fluorine environmental protection compressor, environmental protection, stability.
- Adopt humanized control procedure, the equipment is stable, the operation is convenient.
- The secondary speed reducer and gear asynchronous motor are adopted, low noise and stable operation.
- The spiral hob extruding evaporator has stable operation and good ice making effect.
- The machine has a state reminder, easy to operate.



型号	IMSK-50A	IMSK-80A
最大日产量	50(KG/24H)	80(KG/24H)
储冰量	20(KG)	30(KG)
尺寸W*D*H	500*590*800(MM)	500*590*800(MM)
电压频率	220V/50Hz	220V/50Hz
功率	380(W)	425(W)
制冷剂	R134a/R290	R22/R290
冷凝方式	风冷	风冷

机器三视图

Machine Three-View Drawing






型号	IMSK-100A	IMSK-150A
最大日产量	100(KG/24H)	150(KG/24H)
储冰量	40(KG)	50(KG)
尺寸W*D*H	660*675*1145(MM)	660*675*1145(MM)
电压频率	220V/50Hz	220V/50Hz
功率	820(W)	930(W)
制冷剂	R22/R290	R22/R290
冷凝方式	风冷	风冷

机器三视图

Machine Three-View Drawing






型号	IMSK-200A/W	IMSK-300A/W	IMSK-400A/W
最大日产量	200(KG/24H)	300(KG/24H)	400(KG/24H)
储冰量	120(KG)	120(KG)	120(KG)
尺寸W*D*H	560*840*1645(MM)	560*840*1645(MM)	560*840*1645(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz
功率	1050/940(W)	1240/1140(W)	1690/1590(W)
制冷剂	R22	R22	R22
冷凝方式	风冷/水冷	风冷/水冷	风冷/水冷

机器三视图

Machine Three-View Drawing






型号	IMSK-500A/W	IMSK-700A/W
最大日产量	500(KG/24H)	700(KG/24H)
储冰量	220(KG)	220(KG)
尺寸W*D*H	760*840*1830(MM)	760*840*1900(MM)
电压频率	220V/50Hz	220V/50Hz
功率	2370/2180(W)	2670/2480(W)
制冷剂	R22	R22
冷凝方式	风冷/水冷	风冷/水冷

机器三视图

Machine Three-View Drawing



绵绵冰[SD系列]

CONTINUOUS ICE [SD SERIES]




用于海鲜姿造，适合做各种造型
Used for seafood presentation, suitable for various designs.

用于甜品制作，口感细腻
Used for making desserts, it has a delicate taste.

型号	SD-120A	SD-160A	SD-220A	SD-280A	SD-400A
最大日产量	60(KG/24H)	80(KG/24H)	100(KG/24H)	120(KG/24H)	180(KG/24H)
储冰量	30(KG)	30(KG)	40(KG)	40(KG)	60(KG)
尺寸W*D*H	408*518*820(MM)	408*518*820(MM)	500*510*960(MM)	500*510*960(MM)	500*560*1160(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
功率	600(W)	710(W)	780(W)	860(W)	1120(W)
制冷剂	R134a	R134a	R22/R290	R22/R404a	R22/R404a
冷凝方式	风冷	风冷	风冷	风冷	风冷

机器三视图

Machine Three-View Drawing





绵绵冰[SD系列]

CONTINUOUS ICE [SD SERIES]




用于海鲜姿造，适合做各种造型
Used for seafood presentation, suitable for various designs.

用于甜品制作，口感细腻
Used for making desserts, it has a delicate taste.

型号	SD-500W	SD-600W	SD-700W	SD-800W	SD-1000W
最大日产量	225(KG/24H)	300(KG/24H)	350(KG/24H)	400(KG/24H)	500(KG/24H)
储冰量	120(KG)	120(KG)	180(KG)	180(KG)	180(KG)
尺寸W*D*H	560*850*1610(MM)	560*850*1610(MM)	760*840*1780(MM)	760*840*1780(MM)	760*840*1780(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
功率	1350(W)	1430(W)	1520(W)	1890(W)	2290/2100(W)
制冷剂	R22	R22	R22	R22	R22
冷凝方式	水冷	水冷	水冷	水冷	水冷

机器三视图

Machine Three-View Drawing



奶冰机[SF系列]

MILK ICE MACHINE [SF SERIES]

型号	SF-550W
最大日产量	250(KG/24H)
储冰量	即出式
尺寸W*D*H	400*580*680(MM)
电压频率	220V/50Hz
功率	1410(W)
制冷剂	R22/R404a
冷凝方式	水冷



↘ 产品特点 Product Features

- 304不锈钢蒸发桶，最低可达到-30°C，制出各种口味的雪花冰。
- 密封式投料器，与外界隔绝，杜绝污染。
- 强大的制冷系统，制冰迅速。
- 结构紧密，安装方便。
- 敞开式结构，可拆卸管道，一键式清洗，使用方便。
- 滚筒速度可调，已达到想要的粗细。
- 智能芯自动检测，故障提醒。
- 设备稳定、噪音低、效率高。

- The 304 stainless steel evaporation barrel can reach a minimum temperature of -30°C, enabling the production of snowflake ice in various flavors.
- The sealed feeder is isolated from the outside environment, effectively preventing pollution.
- With a powerful refrigeration system, ice is made quickly.
- Compact structure, easy to install.
- Open structure, removable pipeline, one-button cleaning, easy to use.
- The rolling speed is adjustable and has reached the desired thickness.
- Intelligent core automatic detection, fault reminder.
- The equipment is stable, produces low noise, and operates with high efficiency.





月型冰[KM系列]

CRESCENT ICE [KM SERIES]

↘ 冰块特点 Ice features

- 月形冰晶莹剔透、没有气泡、不易粘连。
- 月形冰的口感好。
- 用月形冰调制出来的饮品更漂亮。


- Ice crystal clear, no bubbles, not easy to adhere.
- Good taste.
- The drink made of Crescent ice is more beautiful.

适用场所 SUITABLE FOR

餐厅 Restaurant | 饮品店 Drinks shop | KTV KTV | 咖啡店 Coffee shop | 酒吧 Bar | 面包店 Bakery





型号	KM-150A/W
最大日产量	60(KG/24H)
储冰量	30(KG)
尺寸W*D*H	500*590*880(MM)
电压频率	220V/50Hz
功率	445/410(W)
制冷剂	R22/R290
冷凝方式	风冷/水冷




35mm*30mm*11mm

冰块尺寸图












型号	KM-260A/W	KM-210A/W
最大日产量	120(KG/24H)	90(KG/24H)
储冰量	45(KG)	45(KG)
尺寸W*D*H	660*680*930(MM)	660*680*930(MM)
电压频率	220V/50Hz	220V/50Hz
功率	775/720(W)	715/660(W)
制冷剂	R22/R290	R22/R290
冷凝方式	风冷/水冷	风冷/水冷




35mm*30mm*11mm

冰块尺寸图












型号	KM-300A/W	KM-400A/W
最大日产量	140(KG/24H)	200(KG/24H)
储冰量	120(KG)	120(KG)
尺寸W*D*H	560*840*1710(MM)	560*840*1710(MM)
电压频率	220V/50Hz	220V/50Hz
功率	855/765(W)	1010/920(W)
制冷剂	R22	R22
冷凝方式	风冷/水冷	风冷/水冷




35mm*30mm*11mm

冰块尺寸图








KM-500-1000A/W

型号参数

Model parameters




型号	KM-500A/W	KM-800A/W	KM-1000A/W
最大日产量	250(KG/24H)	400(KG/24H)	500(KG/24H)
储冰量	180(KG)	180(KG)	220(KG)
尺寸W*D*H	760*840*1850(MM)	760*840*1930(MM)	760*840*1930(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz
功率	1100/965(W)	1800/1660(W)	2490/2320(W)
制冷剂	R22	R22	R22
冷凝方式	风冷/水冷	风冷/水冷	风冷/水冷



35mm*30mm*11mm

冰块尺寸图



鳞片冰[ICE系列]

SCALY [ICE]



↘ 产品特点 Product Features

- 模块化设计，维护简单。
- 卫生水平达到国际HACCP和FDA认证标准。
- 出冰干燥、纯净、无粉末，不易产生结块。
- 部件采用SUS304不锈钢、铝合金和PE材料制造，经久耐用。
- 采用知名品牌配件，严格工艺流程控制，故障率低，性能稳定。
- 使用寿命长，可连续数万小时高效无故障运行。

- Modular design, easy to maintain.
- The components are made of SUS304 stainless steel, aluminum alloy, and PE material, ensuring durability.
- The hygiene level meets the international HACCP and FDA certification standards.
- Using well-known brand components and adhering to strict process control, we achieve a low failure rate and stable performance.
- The ice is dry, pure, powder-free, and not prone to clumping.
- With a long service life, it can operate efficiently and without malfunction for tens of thousands of hours continuously.

↘ 适用场所 Suitable for

火锅店 Hot pot restaurant

自助餐厅 Cafeteria

超市 Supermarket

食品厂 Food factory


- 餐饮和超市里用于降温保鲜
  Used for cooling and preserving in restaurants and supermarkets.
- 在食品厂和面工序中添加物料，用于降低面团温度，防止因和面过程中温度升高引发面团变质。
  In the dough mixing process of a food factory, materials are added to reduce the temperature of the dough and prevent deterioration caused by temperature rise during the mixing process.



型号	ICE-0.2T-QFB
最大日产量	200(KG/24H)
储冰量	120(KG)
尺寸W*D*H	560*840*1700(MM)
电压频率	220V/50Hz
功率	1.25(KW)
制冷剂	R22
冷凝方式	风冷

机器三视图

Machine Three-View Drawing






型号	ICE-0.5T
最大日产量	500(KG/24H)
储冰量	300(KG)
尺寸W*D*H	1220*950*1960(MM)
电压频率	380V/50Hz
功率	2.62(KW)
制冷剂	R22/R404a
冷凝方式	风冷

机器三视图

Machine Three-View Drawing






型号	ICE-0.3T
最大日产量	300(KG/24H)
储冰量	180(KG)
尺寸W*D*H	800*870*1740(MM)
电压频率	220V/50Hz
功率	1.76(KW)
制冷剂	R22
冷凝方式	风冷

机器三视图

Machine Three-View Drawing






型号	ICE-1.0T	ICE-1.5T	ICE-2.0T	ICE-2.5T	ICE-3.0T
最大日产量	1000(KG/24H)	1500(KG/24H)	2000(KG/24H)	2500(KG/24H)	3000(KG/24H)
储冰量	400(KG)	500(KG)	800(KG)	1000(KG)	1200(KG)
尺寸W*D*H	1220*1250*1920(MM)	1400*1250*2080(MM)	1500*1500*2225(MM)	1600*1700*2490(MM)	1600*1700*2490(MM)
电压频率	380V/50Hz	380V/50Hz	380V/50Hz	380V/50Hz	380V/50Hz
功率	4.31(KW)	7.1(KW)	8.6(KW)	10.1(KW)	13.6(KW)
制冷剂	R22/R404a	R22/R404a	R22/R404a	R22/R404a	R22/R404a
冷凝方式	风冷	风冷	风冷	风冷	风冷

机器三视图

Machine Three-View Drawing



喷淋式[YZ系列]

SPRAY TYPE [YZ SERIES]





↘ 冰块特点 Ice features

- 冰块为圆柱形、八角形、正方体形。
- 冰块硬度大，透明度好。
- 冰块厚实，融化慢。
- The ice cubes are cylindrical, octagonal, and cubic.
- The ice cubes are hard and have good transparency.
- The ice cubes are thick and take longer to melt.

适用场所 ↘

SUITABLE FOR



咖啡店
Coffee shop




酒吧
Bar




KTV
KTV





型号	YZ-170A-DFB	YZ-170A-DFB50
最大日产量	65(KG/24H)	65(KG/24H)
储冰量	20(KG)	20(KG)
尺寸W*D*H	500*590*850(MM)	500*590*850(MM)
电压频率	220V/50Hz	220V/50Hz
功率	555(W)	525(W)
制冷剂	R22/R290	R22/R290
冷凝方式	风冷	风冷



冰块尺寸图













型号	YZ-170A-BJ	YZ-170A-YZ	YZ-170A-FB
最大日产量	75(KG/24H)	75(KG/24H)	75(KG/24H)
储冰量	45(KG)	45(KG)	45(KG)
尺寸W*D*H	660*680*930(MM)	660*680*930(MM)	660*680*930(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz
功率	720(W)	720(W)	720(W)
制冷剂	R22/R290	R22/R290	R22/R290
冷凝方式	风冷	风冷	风冷



冰块尺寸图













型号	YZ-330W-BJ	YZ-330W-YZ	YZ-330W-FB	YZ-330W-DFB
最大日产量	150(KG/24H)	150(KG/24H)	150(KG/24H)	150(KG/24H)
储冰量	120(KG)	120(KG)	120(KG)	120(KG)
尺寸W*D*H	560*840*1840(MM)	560*840*1840(MM)	560*840*1840(MM)	560*840*1840(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
功率	1250(W)	1250(W)	1250(W)	1285(W)
制冷剂	R22/R404a	R22/R404a	R22/R404a	R22/R404a
冷凝方式	水冷	水冷	水冷	水冷



冰块尺寸图







吧台式制冰机[BL系列]
COUNTERTOP ICE MAKER [BL SERIES]

↘ 产品特点 Product Features

- 吧台式制冰机是一款定制型用于吧台组合式的制冰机，常用于饮品店，适用于用冰量不大且需要合理利用空间的场所。
- The desktop ice machine is a custom-made ice machine for bar combination, which is often used in beverage shops. It is suitable for placeswhere the amount of ice is small and the space needs to be used reasonably.






型号	BL-80	BL-95	BL-80
最大日产量	40-120(KG/24H)	40-120(KG/24H)	40-120(KG/24H)
储冰量	25(KG)	25(KG)	25(KG)
尺寸W*D*H	500*700*800(MM)	700*700*800(MM)	1000*700*800(MM)
电压频率	220V/50Hz	220V/50Hz	220V/50Hz
功率	310(W)	420(W)	510(W)
制冷剂	R22/R134a	R22/R134a	R22/R134a
冷凝方式	水冷	水冷	水冷

吧台式为非标款，制冰量、储冰量等数据非固定数值。

机器三视图
Machine Three-View Drawing



冰水机[KB系列]
ICE WATER MACHINE [KB SERIES]

↘ 产品特点 Product Features

- 三种出料方式可随意选择:碎冰、水、加入碎冰的水。自动感应出料，取用方便。
- 单次出料时间可调，可以根据不同大小的杯子设置不同的出料时间。
- 进口核心部件，外壳采用SUS304和ABS材质，美观、耐用。
- Three discharge methods can be freely selected: crushed ice, water, and water with crushed ice added.
- Automatic induction discharge for easy access.
- The single discharge time is adjustable, and different discharge times can be set according to different sizes of cups.
- Imported core components, the shell is made of SUS304 and ABS materials, beautiful and durable.

适用场所 ↘ SUITABLE FOR

酒店宾馆 Hotel

中高档餐厅 Mid-range restaurant

型号	KB-80A
最大日产量	80(KG/24H)
储冰量	3.5(KG)
尺寸W*D*H	350*590*850(MM)
电压频率	220V/50Hz
功率	920(W)
制冷剂	R404a/R22
冷凝方式	风冷



刨冰机[BT系列]

BLOCK ICE ALL-IN-ONE MACHINE [BD SERIES]

型号	BT-168	BT-268
刨冰量	2KG/Min	8Kg/Min
储冰量	2(KG)	6(KG)
尺寸W*D*H	380*300*460(MM)	450*340*670(MM)
电压频率	220V/50Hz	220V/50Hz
功率	220(W)	250(W)
控制类型	半自动	半自动







用科® RUNICING

核心部件

CORE COMPONENT

压缩机
Compressor



tecumseh 法国 France　COPELAND 美国 U.S.A　泰国 Thailand　SECOP　Danfoss 丹麦 Denmark

除霜电磁阀
Defrost solenoid valve



SAGInoMIYA 日本 Japan　NEC 日本 Japan

膨胀阀
Expansion valve



Danfoss 丹麦 Denmark

干燥过滤器
Drying filter



Danfoss 丹麦 Denmark

水泵
Pump



NEWDUN 中国 China

冷凝风机
Condensing fan




ebmpapst 德国 Germany

水压阀
Hydraulic valve



SAGInoMIYA 日本 Japan

控制器
Controller



用科® RUNICING 中国 China