SHANGHAI YONGKE REFRIGERATION
EQUIPMENT CO.,LTD.

DEDICATION FOSTERS PROFESSIONALISM
PROFESSIONALISM WINS THE FUTURE

PRODUCT MANUAL

PROFESSIONAL MANUFACTURER
OF COMMERCIALICEMAKER



National Service Hotline: 4001828829
Marketing Center: No. 161, Zhenye Road, Songjiang District, Shanghai
Production Center: No. 1, Xianhualing Road, Yu'an District, Lu'an City, Anhui Province
Website: www.ykicing.com | www.ykicing.cn
Email: info@ykicing.com

ABOUT US

Established in 2012 Diversified brand lineup Development concept

PROFESSIONAL MANUFACTURER
OF COMMERCIALICEMAKER

Product R&D Manufacturing Marketing



Shanghai Yongke Refrigeration Equipment Co., Ltd. is located in Shanghai, China, the production plant is set up in Anhui, China.We have 14 years of commercial ice machine production experience. As a well-known manufacturer of ice machines, we have three brands: RUNICING, BASEB and KEIMP. RUNICING, KEIMP for the domestic market, BASEB for the international market.
We have 6 different ice ice shapes: cube ice, moon ice, granular ice, snow ice, flake ice, cylindrical ice. Products are widely used in restaurants, bars, drink shops, coffee shops, bakeries, supermarkets, laboratories and other places.

For many years, we have been dedicated to the research and production of ice making equipment. With this focused, dedicated, and specialized development philosophy, we are able to provide the highest quality products and become the most reliable ice making equipment supplier for our customers.

In order to ensure the consistency and stability of our products, we have introduced high-precision laser cutting machines and CNC bending machines. In order to ensure the ease of use of the product, we have a reasonable design of the equipment operation procedure and provide multiple protection.

We also welcome OEM and ODM, whether it is to choose from existing products, or customize according to your actual situation, we will provide you with perfect ice making product solutions.

We look forward to your call and hope that we can also become a quality supplier and partner in the near future.

7 MAJOR CORE ADVANTAGES

- Independently developed,30 patents
- 14 years of R&D and production experience
- Obtain international certification: CE, ISO certification
- Core components adopt internationally renowned brands
- The product has a wide coverage
- Perfect after-sales service
- Focus on the development concept of specializationand precision; always focus on the research anddevelopment of ice-making equipment.


RUNICING

APPLICATION SCENARIO


SEAFOOD
BD、ICE SERIES


ALCOHOL
BD、YZ SERIES


COFFEE
BD、YZ SERIES


SASHIMI
IMS、SD SERIES


BUFFET
BD、ICE、MS


DRINK
BD、KM、YZ


HOT POT
ICE、IMS SERIES


OTHER
BD SERIES

REVIEW OF PAST EXHIBITIONS













ENTERPRISECERTIFICATE



FOUNDED IN 2012

14 YRS

R&D and production experience

30+

Patent

2012

In 2012,the BD series of cube icemachineswas launched foruse in restaurants.

2015

In 2015,the IMS series of irregularparticleicemachines were launched for useinlaboratories and restaurants.

2016

In 2016,SD series of snow machines waslaunchedfor use in dessert shops.and beverage shops.

2017

In 2017,the KM series of moon ice machineswas launched for use in mid tohigh-end beverage shops.

2018

In 2018,the ICE series offlake icemachines waslaunched for use insupermarket seafoodand foodprocessing

2020

In 2020, the YZ series of cylindricaloctagonal) ice machineswaslaunched and applied to mid tohigh-end coffee shops.

2023

In 2023, the IMSK series chewing ice maker was launched for use in beverage preparation.

2025

In 2025, a cube solid ice maker will be launched, which will be applied in coffee shops and bars.

CUSTOMER CASE



CONTENTS

Ice Cube Machine ---------- 09

Block ice split machine ---------- 11

Granular Ice ---------- 13

Flake Ice ---------- 17

Cylindrical Ice ---------- 19

Moon Ice ---------- 21

Core component ---------- 24

BLOCK ICE ALL
IN-ONE MACHINE

Product Features

Pushing gate design, save space, convenient to take the ice.

Bigger nickel plated copper ice tray, yield than similar products more than10% above;ice making and ice dropping quickly.

The original "intelligent core" makes the machine with stable performance,convenient mainttenance.

The air-cooled machine adopts a front mounted radiator, convenientcleaning, noise reduction technology advanced, low noise.

Inner tank, water tank, water pump are up to food gradde standards,safety and healthy.

Ice storage tank with PE overall rotational molding technology, polyurethane foam, high thermal insulation performance.



Ice features

- Wide range of applications
- Economical and practical
- Good cooling effectl

SUITABLE FOR
Application Scenarios

- Laboratory
- Hotel
- Restaurant
- Drinks shop
- Coffee shop
- KTV
- Bar
- Convenience store




Model	WMBD-80A	WMBD-110A
Ice Shape(Cube Ice /MM)	22*22*22	22*22*22
Maximum Daily ProductionKG/24H	40	50
Strage Capacity (KG)	15	15
Size (MM/Including footings)	500*440*800	500*440*800
Voltage and Frequency	220~240V/50Hz/60Hz	220~240V/50Hz/60Hz
Power (W)	435	490
Refrigerant	R290/R404a	R290/R404a
Cooling mode	Air Cooling	Air Cooling



22mm*22mm*22mm

Ice Cube Size Chart






Model	WMBD-160A	WMBD-210A
Ice Shape(Cube Ice /MM)	22*22*22	22*22*22
Maximum Daily ProductionKG/24H	80	100
Strage Capacity (KG)	40	40
Size (MM/Including footings)	660*670*930	660*670*930
Voltage and Frequency	220~240V/50Hz/60Hz	220~240V/50Hz/60Hz
Power (W)	640	680
Refrigerant	R290/R404a	R290/R404a
Cooling mode	Air Cooling	Air Cooling



22mm*22mm*22mm

Ice Cube Size Chart



BLOCK ICE SPLIT MACHINE



Product Features

High quality stainless steel shell, corrosion resistant and durable.

Bigger nickel plated copper ice tray, yield than similar products more than 10% aboveice making and ice dropping quickly.

The original "intelligent core" makes the machine with stable performance, convenient mainttenance.

Independent ice storage bucket with large ice storage.

Inner tank, water tank, water pump are up to food gradde standards, safety and healthy.

Ice storage tank with PE overall rotational molding technology, polyurethane foam, high thermal insulation performance.




Model	WMBD-320A	WMBD-400A
Ice Shape(Cube Ice /MM)	22*22*22	22*22*22
Maximum Daily ProductionKG/24H	140	180
Strage Capacity (KG)	120	120
Size (MM/Including footings)	560*830*1610	560*830*1610
Voltage and Frequency	220~240V/50Hz/60Hz	220~240V/50Hz/60Hz
Power (W)	820	970
Refrigerant	R404a	R404a
Cooling mode	Air Cooling	Air Cooling




22mm*22mm*22mm

Ice Cube Size Chart






Model	WMBD-500A	WMBD-700A	WMBD-1000A
Ice Shape(Cube Ice /MM)	22*22*22	22*22*22	22*22*22
Maximum Daily ProductionKG/24H	220	320	460
Strage Capacity (KG)	180	180	180
Size (MM/Including footings)	760*840*1685	760*840*1685	760*840*1815
Voltage and Frequency	220~240V/50Hz	220~240V/50Hz	220~240V/50Hz
Power (W)	1020	1230	2150
Refrigerant	R404a	R404a	R404a
Cooling mode	Air Cooling	Air Cooling	Air Cooling



22mm*22mm*22mm

Ice Cube Size Chart






Model	WMBD-14500A	WMBD-2000A
Ice Shape(Cube Ice /MM)	22*22*22	22*22*22
Maximum Daily ProductionKG/24H	660	950
Strage Capacity (KG)	460	460
Size (MM/Including footings)	1220*950*1950	1220*950*1950
Voltage and Frequency	220~240V/50Hz	380V/50Hz
Power (W)	2620	3750
Refrigerant	R404a	R404a
Cooling mode	Air Cooling	Air Cooling



22mm*22mm*22mm

Ice Cube Size Chart



GRANULAR ICE



Product Features

High quality stainless steel shell, corrosion resistant and durable.

The box insulation layer adopts fluorine free polyurethane foam, good heat preservation performance, inner bladder adopts fluorine free bacteriostatic type, energy saving and environmental protection.

Adopt the import non-fluorine environmental protection compressor, environmental protection, stability.

Adopt humanized control procedure, the equipment is stable, the operation is convenient.

The secondary speed reducer and gear asynchronous motor are adopted, low noise and stable operation.

The spiral hob extruding evaporator has stable operation and good ice making effect.

The machine has a state reminder, easy to operate.

Ice features



Grain ice is irregular grain, ice type is small, can infiltrate into smallaperture, make the contact area of the waiting cool object big, cool quickly.



When used for eating, the grain ice is small, which makes it soft and easy to eat.


Suitable for

- Hospitals
- Buffet table display
- Restaurants make sashimiand sushi
- Laboratories
- Drink making
- Small seafoodand fish use ice etc



Model	WMIMS-50A	WMIMS-80A
Ice Shape	Granular Ice	Granular Ice
Maximum Daily ProductionKG/24H	50	80
Strage Capacity (KG)	25	25
Size (MM/Including footings)	500*580*800	500*580*800
Voltage and Frequency	220~240V/50Hz/60Hz	220~240V/50Hz/60Hz
Power (W)	390	470
Refrigerant	R290/R404a	R290/R404a
Cooling mode	Air Cooling	Air Cooling


Machine Three-View Drawing





Model	WMIMS-100A	WMIMS-150A
Ice Shape	Granular Ice	Granular Ice
Maximum Daily ProductionKG/24H	100	150
Strage Capacity (KG)	55	55
Size (MM/Including footings)	660*675*1145	660*675*1145
Voltage and Frequency	220~240V/50Hz/60Hz	220~240V/50Hz/60Hz
Power (W)	760	810
Refrigerant	R290/R404a	R290/R404a
Cooling mode	Air Cooling	Air Cooling


Machine Three-View Drawing







MACHINE THREE-VIEW DRAWING




Model	WMIMS-200A	WMIMS-300A
Ice Shape	Granular Ice	Granular Ice
Maximum Daily ProductionKG/24H	200	300
Strage Capacity (KG)	120	120
Size (MM/Including footings)	560*840*1645	560*840*1645
Voltage and Frequency	220~240V/50Hz/60Hz	220~240V/50Hz/60Hz
Power (W)	970	1120
Refrigerant	R404a	R404a
Cooling mode	Air Cooling	Air Cooling

Model	WMIMS-500A	WMIMS-700A
Ice Shape	Granular Ice	Granular Ice
Maximum Daily ProductionKG/24H	500	700
Strage Capacity (KG)	180	180
Size (MM/including footings)	760*840*1830	760*840*1900
Voltage and Frequency	220~240V/50Hz	220~240V/50Hz
Power (W)	2160	2550
Refrigerant	R404a	R404a
Cooling mode	Air Cooling	Air Cooling

Model	WMIMS-1000A
Ice Shape	Granular Ice
Maximum Daily ProductionKG/24H	1000
Strage Capacity (KG)	460
Size (MM/Including footings)	1220*950*1940
Voltage and Frequency	380V/50Hz
Power (W)	3650
Refrigerant	R404a
Cooling mode	Air Cooling



Machine Three-View Drawing





FLAKE ICE

Product Features

Modular design, easy to maintain.

The components are made of SUS304 stainless steel, aluminum alloy, and PE material, ensuring durability.

The hygiene level meets the international HACCP and FDA certification standards.

Using well-known brand components and adhering to strict process control, we achieve a low failure rate and stable performance.

The ice is dry, pure, powder-free, and not prone to clumping.

With a long service life, it can operate efficiently and without malfunction for tens of thousands of hours continuously.

Suitable for


Hot pot restaurant | Cafeteria | Supermarket | Food factory

Used for cooling and preserving in restaurants and supermarkets.

In the dough mixing process of a food factory, materials are added to reduce the temperature of the dough and prevent deterioration caused by temperature rise during the mixing process.




Model	WMICE-0.3T
Ice Shape	Flake Ice
Maximum Daily Production KG/24H	300
Strage Capacity (KG)	180
Size (MM/Including footings)	800*870*1740
Voltage and Frequency	220~240V/50Hz
Power (W)	1760
Refrigerant	R404a
Cooling mode	Air Cooling




Machine Three-View Drawing



Model	WMICE-0.5T
Ice Shape	Flake Ice
Maximum Daily Production KG/24H	500
Strage Capacity (KG)	460
Size (MM/Including footings)	1220*950*1960
Voltage and Frequency	380V/50Hz
Power (W)	2620
Refrigerant	R404a
Cooling mode	Air Cooling






Machine Three-View Drawing

Model	WMICE-1.0T	WMICE-1.5T
Ice Shape	Flake Ice	Flake Ice
Maximum Daily ProductionKG/24H	1000	1500
Strage Capacity (KG)	460	460
Size (MM/Including footings)	1220*1250*1920	1400*1250*2080
Voltage and Frequency	380V/50Hz	380V/50Hz
Power (W)	4310	7100
Refrigerant	R404a	R404a
Cooling mode	Air Cooling	Air Cooling





Machine Three-View Drawing

CYLINDRICAL ICE

Product Features

The ice cubes are cylindrical, octagonal, and cubic.

The ice cubes are hard and have good transparency.

The ice cubes are thick and take longer to melt.





Suitable for


Coffee shop

BAR


KTV



Model	WMYZ-170A-DFB	WMYZ-170A-DFB50
Ice Shape	Cube Ice	Cube Ice
Maximum Daily ProductionKG/24H	65	65
Strage Capacity (KG)	20	20
Size (MM)	500*590*850	500*590*850
Voltage and Frequency	220V/50Hz	220V/50Hz
Power (W)	555	555
Refrigerant	R290	R290
Cooling mode	Air Cooling	Air Cooling




Ice cube size






Model	WMYZ-170A-BJ	WMYZ-170A-FB
Ice Shape	Cylindrical Ice/Cube Ice	Cylindrical Ice/Cube Ice
Maximum Daily ProductionKG/24H	75	75
Strage Capacity (KG)	35	35
Size (MM)	660*710*930	660*710*930
Voltage and Frequency	220V/50Hz	220V/50Hz
Power (W)	720	720
Refrigerant	R290	R290
Cooling mode	Air Cooling	Air Cooling



Ice cube size





MOON ICE

Product Features

Ice crystal clear, no bubbles, not easy to adhere.

Good taste.


The drink made of Crescent ice is more beautiful.

Suitable for

- Restaurant
- Drinks shop
- KTV
- Coffee shop
- BAR
- Bakery




Model	WMKM-210A	WMKM-260A
Ice Shape	Moon Ice	Moon Ice
Maximum Daily Production KG/24H	90	120
Strage Capacity (KG)	45	45
Size (MM)	660*680*930	660*680*930
Voltage and Frequency	220V/50Hz	220V/50Hz
Power (W)	715	775
Refrigerant	R290/R40a	R290/R40a
Cooling mode	Air Cooling	Air Cooling




35mm*30mm*11mm

Ice cube size






Model	WMKM-300A	WMKM-400A
Ice Shape	Moon Ice	Moon Ice
Maximum Daily Production KG/24H	140	200
Strage Capacity (KG)	120	120
Size (MM)	560*840*1710	560*840*1710
Voltage and Frequency	220V/50Hz	220V/50Hz
Power (W)	855	1010
Refrigerant	R404a	R404a
Cooling mode	Air Cooling	Air Cooling



35mm*30mm*11mm

Ice cube size








Model	WMKM-500A	WMKM-800A	WMKM-1000A
Ice Shape	Moon Ice	Moon Ice	Moon Ice
Maximum Daily Production KG/24H	250	400	500
Strage Capacity (KG)	180	180	220
Size (MM)	760*840*1850	760*840*1930	760*840*1930
Voltage and Frequency	220V/50Hz	220V/50Hz	220V/50Hz
Power (W)	1100	1800	2490
Refrigerant	R404a	R404a	R404a
Cooling mode	Air Cooling	Air Cooling	Air Cooling



35mm*30mm*11mm

Ice cube size



CORE COMPONENT

COMPRESSOR



tecumseh 法国 France

COPELAND 美国 U.S.A

泰国 Thailand

SECOP

Danfoss 丹麦 Denmark

DEFROST SOLENOID VALVE



SAGInoMIYA 日本 Japan

NEC 日本 Japan

EXPANSION VALVE



Danfoss 丹麦 Denmark

DRYING FILTER



Danfoss 丹麦 Denmark

PUMP



NEWDUN 中国 China

CONDENSING FAN




ebmpapst 德国 Germany

HYDRAULIC VALVE



SAGInoMIYA 日本 Japan

CONTROLLER



用科 RUVICING 中国 China